

VIKING EXPRESS


Camping Made Even Easier

CAMPING TRAILERS

THE EASIEST WAY TO GET UP & GO


Viking tent-style, pop-up hybrids feel much bigger inside, with a rear entry for easy access. Unlatch, and the struts automatically lift the roof into position. Durable, automotive grade metal exterior walls and fiberglass roof skin maintain structural integrity and can withstand the test of time.

Express delivers a lot of comfort features including a whole coach fan and a 20,000 BTU furnace. Unlike traditional teardrop models, you can stand upright and walk around in the living space. These models are lightweight, and easy to tow by most cars, crossovers, and small SUVs.



EXPRESS 9.0TD

V-PKG. OFF-ROAD OPTION - UNDER 1,450 LBS.



EXPRESS 12.0TD XL
RUGGED, OFF-ROAD OPTION - UNDER 2,100 LBS.



RUGGED, OFF-ROAD OPTION – UNDER 2,300 LBS.
SIDE DOOR ACCESS WITH ROOF DOWN



EXPRESS 9.0TD V-PKG.



EXPRESS 9.0TD V-PKG.



Express 9.0TD V-PKG.



EXPRESS 12.0TD XL



EXPRESS 12.0TD XL



Express 12.0TD MAX



EXPRESS 12.0TD MAX







| EXPRESS | 9.0 TD | 12.0 TD XL | 12.0TD MAX |
|-----------------------|-----------|-------------|-------------|
| Interior Box Size | 10′ 2″ | 12' | 12' |
| Travel Length | 14′ 2″ | 17′ 5″ | 17′ 5″ |
| Travel Width | 6′ 10″ | 7′ 1″ | 7′ 1″ |
| Travel Height | 6′ 5″ | 7′ 5″ | 7′ 5″ |
| Exterior Open Length | 13′ | 13′ 11″ | 13′ 11″ |
| Interior Open Height | 6′ 4″ | 6' 4" | 6′ 4″ |
| Sleeping Capacity | 2 | 3 | 3 |
| Front Sleeping Area | 54" x 72" | 60" x 74" | 54" x 74" |
| Gaucho | N/A | 74" | 64" |
| Radial Tire Size | ST145R13 | ST205/75R14 | ST205/75R14 |
| Tire Load Range | D | D | D |
| Hitch Weight (lbs.) | 194 | 220 | 259 |
| Axle Weight (lbs.) | 2000 | 3500 | 3500 |
| UVW (lbs.) | 1418 | 2147 | 2225 |
| Cargo Capacity (lbs.) | 776 | 1573 | 1034 |
| GVWR (lbs.) | 2194 | 3720 | 3259 |
| Coupler Size | 2" | 2-5/16" | 2-5/16" |

*Weights shown are approximate. †Estimated average based on standard build optional equipment. All weights shown are in pounds. See back page for chart definitions.

| VIKING EXPRESS | BASIC | DELUXE | V-PKG. | DELUXE | MAX |
|--|--------|--------|--------|------------|-------------|
| EXTERIOR | 9.0 TD | 9.0 TD | 9.0 TD | | 12.0 TD MAX |
| E -Coated Tubular Steel Frame | • | • | • | • | • |
| Tire Sizes | 13" | 13" | 15" | 14" | 14" |
| Heavy-Duty Tongue Jack w/Wheel | • | • | • | • | • |
| Wide Trac Ultra Lube Spring Axle | • | • | • | • | • |
| Electric Brakes | • | • | • | • | • |
| Radial Tires | • | • | • | • | • |
| Spare Tire & Carrier | OPT | OPT | OPT | • | • |
| Steel Rims | • | • | • | • | • |
| (4) Heavy Duty Scissor Style Jacks | • | • | • | • | • |
| Laminated Fiberglass Roof | • | • | • | • | • |
| Automotive Grade Metal | • | • | • | • | • |
| LED Exterior Lights | • | • | • | • | • |
| One-Piece Screen Door | • | • | • | • | • |
| Aqua-Shield Tenting Material | • | • | • | • | • |
| Exterior Wall Mount LP Grill | OPT | OPT | OPT | OPT | OPT |
| 16 Gallon Fresh Water Tank | | | • | | |
| 27 Gallon Fresh Water Tank | | | | • | • |
| 35 Amp Converter – Trickle Charger | | • | • | • | • |
| 120V GFI Recept | | • | • | • | • |
| Flex Rod Tech Add-A-Room | • | • | • | • | • |
| "Jack It" Bike Rack | OPT | OPT | OPT | OPT | OPT |
| "Toylok" Cargo Security System | OPT | OPT | OPT | OPT | OPT |
| Patio Light | | • | • | • | • |
| INTERIOR | 9.0 TD | 9.0 TD | 9.0 TD | 12.0 TD XL | 12.0 MAX |
| LED Interior Courtesy Lights (Floor) | | • | • | • | • |
| 100% Adhesion Residential Grade Linoleum | • | • | • | • | • |
| Dark Ash Cabinetry | • | • | • | • | • |
| Residential Laminated Countertops | • | • | • | • | • |
| Ultra Comfort 4" High Density Cushions | | | | • | • |
| Deep Bowl Acrylic Sink | | | • | • | • |
| 2-Burner High Output Range | | | | • | • |
| 12V On Demand Water Pump | | | • | • | • |
| DSI 6-Gallon Water Heater | | | • | • | • |
| 20,000 BTU Furnace | | • | • | • | • |
| 12V LED Interior Lights | • | • | • | • | • |
| Bluetooth Stereo | | • | • | • | • |
| 3-Way 1.9 Cu. Ft. Refrigerator | | | | • | • |
| 120 Watt/12V Refrigerator/Freezer Cooler | | • | • | | |
| Thetford Porta Potti | OPT | OPT | • | • | • |
| 13,500 BTU Air Conditioner | OPT | OPT | OPT | OPT | OPT |



OFF-ROAD PACKAGE OPTION (9.0TD V Pkg. • 12.0 TD XL • 12.0 TD MAX)

15" OFF-ROAD TIRES & SPARE, EXTENDED FRAME JACKS, OFF-ROAD LIFTED AXLE

VIKING

CAMPING TRAILERS

Camping Made Easy

EASY TO TOW . SET UP IN 10 MINUTES!

Value-added, Viking Ultra Light Camping Trailers are easy to tow and maneuver at 1,500 - 2,500 lbs. These technologically advanced camping trailers are an easy way to experience the RV lifestyle. With exclusive cable supported structured platform bed systems, and the J-track metal door hook system, they're designed to make set up a breeze. It's easy to keep things fresh with Velcro attached valances, removable curtains and cushions.







VIKING LS




VIKING LS



1706XLS OPPOSING GAUCHOS



2107LS VERSATILE SEATING & SLEEPING



2308LS


NEW STORAGE SHROUD & LID



VIKING EPIC




VIKING EPIC



1760QS

HEATED QUEEN BED



2108ST

OPTIONAL CASSETTE POTTI



OPT. BATHROOF PACKAGE

OPTIONAL BATH PACKAGE 2308LS, 2405ST

2405ST OPTIONAL BATH PACKAGE

| | | LS MODEL | | | EPIC | | LEGEND |
|-----------------------|-----------|-----------|-------------|------------|-------------|-------------|-------------|
| | 1706XLS | 2107LS | 2308LS | 1760QS | 2108ST | 2405ST | 2485SST |
| Interior Box Size | 8′ 6″ | 10′ | 12' | 8′ 6″ | 10′ | 12' | 12' |
| Travel Length | 12′ 11″ | 13′ 2″ | 17′ 9″ | 12′ 2″ | 16′ 10″ | 17′ 9″ | 19' |
| Travel Width | 7′ | 7′ 1″ | 7′ 1″ | 7′ 1″ | 7′ 1″ | 7′ 1″ | 7′ 1″ |
| Travel Height | 56" | 58" | 58" | 56" | 58" | 58" | 55" |
| Exterior Open Length | 17′ 11″ | 20′ 5″ | 23′ 5″ | 13′ 6″ | 20′ 9″ | 23′ 5″ | 23′ 5″ |
| Interior Open Height | 6′ 10″ | 6′ 10″ | 6′ 10″ | 6′ 10″ | 6′ 10″ | 6′ 10″ | 6′ 10″ |
| Sleeping Capacity | 6 | 7 | 8 | 4 | 7 | 8 | 6 |
| Front Sleeping Area | 54" x 80" | 58" x 80" | 70" x 80" | 58" x 80" | 58" x 80" | 70" x 80" | 70" x 80" |
| Rear Sleeping Area | 48" x 80" | 54" x 80" | 58" x 80" | N/A | 58" x 80" | 58" x 80" | 58" x 80" |
| Dinette Area | N/A | N/A | N/A | N/A | 38" x 70" | 38" x 70" | 41" x 74" |
| "U" Dinette | N/A | N/A | 80" x 70" | 38" x 102" | N/A | N/A | N/A |
| Lounge Area | (2) 60" | (2) 70" | (2) 70" | N/A | 24" x 70" | N/A | 24" x 70" |
| Sofa Bed | N/A | N/A | N/A | N/A | 34" x 76" | 40" x 72" | N/A |
| Radial Tire Size | ST145R12 | ST145R12 | ST185/80R13 | ST145R12 | ST185/80R13 | ST185/80R13 | ST185/80R13 |
| Tire Load Range | E | E | D | E | D | D | D |
| Hitch Weight (lbs.) | 167 | 208 | 223 | 203 | 187 | 241 | 296 |
| Axle Weight (lbs.) | 1338 | 1576 | 1962 | 1355 | 1667 | 2083 | 2403 |
| UVW (lbs.) | 1642 | 1801 | 2204 | 1577 | 1863 | 2396 | 2840 |
| Cargo Capacity (lbs.) | 1255 | 1137 | 1019 | 1365 | 824 | 845 | 456 |
| GVWR (lbs.) | 2897 | 2938 | 3223 | 2942 | 2687 | 3241 | 3296 |
| Coupler Size | 2" | 2" | 2" | 2" | 2" | 2" | 2" |

^{*}Weights shown are approximate. †Estimated average based on standard build optional equipment. All weights shown are in pounds. See back page for chart definitions.



SLIDING EXTERIOR <| Storage Box |--KING SIZE 1-1/4" INSULATED BUNK QUEEN SIZE 1-1/4" Insulated Bunk GAUCHO

SPACIOUS SLIDE OUT WITH STANDARD BATH PACKAGE

VIKING LEGEND

| EXTERIOR | LS | EPIC | LEGEND |
|--|---------|--------|--------|
| E-Coated Tubular Steel Frame | • | • | • |
| Dual Drive Winch | • | • | • |
| Heavy Duty Tongue Jack - w/Wheel | • | • | • |
| Wide Trac Ultra Lube Spring Axle | • | • | • |
| Electric Brakes | • | • | • |
| Radial Tires | • | • | • |
| Spare Tire & Carrier | • | • | • |
| (4) Heavy Duty Scissor Style Jacks | • | • | • |
| Goshen Lift System | • | • | • |
| 4-Layer Laminated Seamless Roof | • | • | • |
| Laminated Insulated Bed Platforms | • | • | • |
| Automotive Grade Metal | • | • | • |
| LED Exterior Lights | • | • | • |
| Diamond Plate Front & Rear Walls | • | • | • |
| E-Z Swing Stepper Door (N/A 1760QS) | | • | • |
| One-Piece Screen Door | • | • | • |
| Prebraced for A/C | • | • | • |
| Exterior Wall Mount w/LP Quick Connect | • | • | • |
| VRX Sectionalized Tent | • | • | • |
| Non-Heated 4" Mats | • | | |
| 16 Gallon Fresh Water Tank | 1706XLS | 1760QS | |
| 23 Gallon Fresh Water Tank | • | • | • |
| 35 Amp Converter - Trickle Charger | • | • | • |
| (2) Blue LED Patio Lights | • | • | • |
| Super Sliding Storage | | | • |
| New Style Storage Lid & Shroud | • | • | • |
| Create-A-Breeze Power Roof Vent | | • | • |
| Awning | • | • | • |
| INTERIOR | LS | EPIC | LEGEND |
| LED Interior Courtesy Lights (Floor) | • | • | • |
| 100% Adhesion Residential Grade Linoleum | • | • | • |
| Dark Ash Cabinetry | • | • | • |
| Residential Laminated Countertops | • | • | • |
| Ultra Comfort 4" Heated Mattress | | • | • |
| Ultra Comfort 4" High Density Cushions | • | • | • |

| INTERIOR | LS | EPIC | LEGEND |
|--|----|------|--------|
| Glide-N-Lock Cable Supported Beds | • | • | • |
| Privacy Drapes | | • | • |
| E-Z Swing Galley w/Drawer | | | • |
| Deep Bowl Acrylic Sink | • | • | • |
| 2-Burner High Output Range | • | • | • |
| Bathroom Package (Opt. 2308LS, 2405ST) | | | • |
| 12V On-Demand Water Pump | • | • | • |
| Modular Cassette Potti (Opt. 2108ST, 2405ST) | | | • |
| DSI 6-Gallon Water Heater w/Outside Shower (2108ST, 2405ST) Outside Spray-away w/Quick Connect (2485SST) | | • | |
| 20,000 BTU Furnace | • | • | • |
| 120 Watt/12V Refrigerator/Freezer Cooler | • | | |
| 3-Way Dometic Refrigerator 1.9 Cu. Ft. | | • | • |
| 12V LED Interior Lights | • | • | • |
| LED Bunk Fan Lights | • | • | ٠ |
| Bunk Storage Nets | | • | • |
| Bluetooth Stereo (Std. 2485SST) | | | • |
| 120V GFI Recept | • | • | • |
| ESSENTIALS PACKAGE | | • | • |

1.9 Cu. Ft. Refrigerator (120 Watt/12V Refrigerator/Freezer Cooler – LS only)

DODIII AD ODTIONS

| POPULAR OPTIONS | |
|--|----------------|
| 3-Way 1.9 Cu. Ft. Refrigerator (LS only) | |
| 13,500 BTU Air Conditioner | |
| 40 Watt Zamp Portable Solar Panel | |
| 80 Watt Zamp Portable Solar Panel | |
| "Jack It" Bike Rack | |
| "Toylok" Cargo Security System | |
| Stor-N-More Under Bunk Storage System | |
| Thetford Porta Potti | |
| Screen Room w/Privacy Flaps | |
| Flex Rod Tech Add-A-Room Upgrade | 1706XLS 1760QS |



• = STANDARD FEATURES

OFF-ROAD PACKAGE OPTION (2107 LS • 2308 LS) 15" OFF-ROAD TIRES & SPARE, LENGTH STABILIZING EXTENDED JACKS, OFF-ROAD LIFTED AXLE, GRAB HANDLE, DOUBLE STEP







Viking's Super Sliding Storage box enables full, easy accessibility even when the camper is set up. (2485SST)



The E-Z one hand swing level galley (2485SST)




Bath Package - Modular Cassette Potti/Shower Combo

VIKING OFF-ROAD CAMPING TRAILERS





SOLID DIAMOND PLATE 2' DECK -**D-RING TIE-DOWNS**





V2



V3 SOLID DIAMOND PLATE 5' DECK - DETACHABLE RAMP

| LET THE (| |
|-----------|--|
| | |
| | |
| | |

| V-TREC | V1 | V2 | V3 | | |
|-----------------------|-------------|-------------|-------------|--|--|
| Interior Box Size | 10′ | 12′ | 12' | | |
| Travel Length | 17′ 2″ | 18′ 3″ | 21′ 8″ | | |
| Travel Width | 7′ 1″ | 7′ 1″ | 7′ 1″ | | |
| Travel Height | 65" | 65" | 65" | | |
| Exterior Open Length | 20′ 5″ | 22′ 5″ | 23′ 5″ | | |
| Interior Open Height | 6′ 10″ | 6′ 10″ | 6′ 10″ | | |
| Sleeping Capacity | 6 | 6 | 6 | | |
| Front Sleeping Area | 58" x 80" | 70" x 80" | 70" x 80" | | |
| Rear Sleeping Area | 58" x 80" | 58" x 80" | 58" x 80" | | |
| Dinette Area | 38" x 70" | 36" x 70" | 41" x 74" | | |
| Lounge Area | 24" x 70" | 24" x 70" | 24" x 70" | | |
| Radial Tire Size | ST235/75R15 | ST235/75R15 | ST235/75R15 | | |
| Tire Load Range | С | С | С | | |
| Hitch Weight (lbs.) | 274 | 290 | 427 | | |
| Axle Weight (lbs.) | 2120 | 2291 | 2790 | | |
| UVW (lbs.) | 2394 | 2581 | 3217 | | |
| Cargo Capacity (lbs.) | 1380 | 1209 | 1210 | | |
| GVWR (lbs.) | 3774 | 3790 | 4427 | | |
| Coupler Size | 2-5/16" | 2-5/16" | 2-5/16" | | |

*Weights shown are approximate. †Estimated average based on standard build optional equipment. All weights shown are in pounds. See back page for

| EXTERIOR | V-TREC |
|---|--------|
| E -Coated Tubular Steel Frame | • |
| Dual Drive Winch | • |
| Heavy Duty Tongue Jack - w/Wheel | • |
| Wide Trac Ultra Lube Torsion Axle | • |
| Electric Brakes | • |
| 15" Radial Tires | • |
| Spare Tire & Carrier | • |
| (4) Heavy Duty Scissor Style Jacks | • |
| Goshen Lift System | • |
| 4 Layer Laminated Seamless Roof | • |
| Laminated Insulated Bed Platforms | • |
| Automotive Grade Metal | • |
| LED Exterior Lights | • |
| Diamond Plate Front & Rear Walls | • |
| One-Piece Screen Door | • |
| Prebraced For A/C | • |
| Outside Spray-Away (Cold only) | • |
| Exterior Wall Mount LP w/Quick Connect | • |
| VRX Sectionalized Tent | • |
| 23 Gallon Fresh Water Tank | • |

| | V-TREC |
|---|--------|
| 35 Amp Converter – Trickle Charger | • |
| 120 Volt GFI Recept | • |
| Patio Light | • |
| Create-A-Breeze Power Roof Vent | • |
| Awning | • |
| INTERIOR | |
| LED Interior Courtesy Lights (Floor) | • |
| 100% Adhesion Residential Grade Linoleum | • |
| Dark Ash Cabinetry | • |
| Residential Laminated Countertops | • |
| Glide-N-Lock Cable Supported Beds | • |
| Ultra Comfort 4" Heated Mattress | • |
| Ultra Comfort 4" High Density Cushions | • |
| Vented Privacy Drapes | • |
| E-Z Swing Galley w/Drawer | • |
| Deep Bowl Acrylic Sink | • |
| 2-Burner High Output Range | • |
| 12 Volt On-Demand Water Pump | • |
| Bathroom Package (Std. V3, Opt. V2) | • |
| DSI 6-Gallon Water Heater | • |

| | V-TREC |
|---|--------|
| 3-Way 1.9 Cu. Ft. Refrigerator | • |
| 20,000 BTU Furnace | • |
| 12 Volt LED Interior Lights | • |
| LED Bunk Fan Lights | • |
| Bluetooth Stereo | • |
| ESSENTIALS PACKAGE | • |
| 3-Way 1.9 Cu. Ft. Refrigerator, 20,000 BTU Furn | |

Awning Flactric Brakes Spare Tire & Carrier

| Awning, Electric Brakes, Spare Tire & Carrier |
|---|
| POPULAR OPTIONS |
| 13,500 BTU Air Conditioner |
| 40 Watt Zamp Portable Solar Panel |
| 80 Watt Zamp Portable Solar Panel |
| Thetford Modular Cassette Potti w/Electric Flush (Opt. V1, V2) |
| Thetford Porta Potti |
| Bathroom Package (V2 only) |
| SST – Super Sliding Storage Trunk (V1, V2) |
| "Jack It" Bike Rack |
| |

"Toylok" Cargo Security System Stor-N-More Under Bunk Storage System Exterior Grill w/Quick Connect Hose



The easy-to-use dual drive winch and drill bit, with your cordless drill, raises or lowers the roof in under 30 seconds. A manual crank is also provided.



The four heavy duty scissor-style stabilizing jacks extend and retract easily using your cordless drill and the provided drill bit.



This exclusive "Glide-N-Lock" cable supported bed system eliminates the need for support poles under the beds. Simply pull out the bed, click and it's locked into place.



Optional exterior grill with Quick



Connect hose.



Pass-through storage and outside shower



Convenient bottle opener



Bed step



Charging station



• More stable bed end vs. chipboard or spliced plywood

with 1" thick high density foam,

and laminated wood panels top

and bottom


4" E-Z Sleep Mattress

COLD OUTSIDE AIR

1-1/4" Laminated Insulated Bunkends • Two times thicker than others • Solid wood, steel reinforced frame,

1-1/4" Laminated Insulated Bunkend

Viking





Black tire rim



Lounge/gaucho bed



Reversible gaucho cushion



LED floor liaht




Exterior leash clip



LED bunk end fan lights



Viking's exclusive J-Track door latch maximizes stability by eliminating the flimsy nylon turn buttons traditionally used in securing the door to the roof.



The E-Z Swing Stepper Door with hydraulic assist, operates in seconds and provides the largest, most stable step platform in the industry.



Viking's one piece entry door has an extra large adjustable privacy panel to let in fresh air and sunlight.




X-Cable technology adds additional stability to the roof and prevents over cranking of the roof.



Competitors



Viking's one-piece, 5/8" floor structure is stronger than the industry's standard 1/2". Automotive undercoating protects from the elements. Congoleum residential grade Diamondflor with 100% adhesion adds beauty and durability indoors.



The Goshen Stamping double-wide lifter system offers strength, stability and increased wind resistance. (Limited lifetime warranty)



Powerful Fantastic power roof vent moves air like no other. (N/A LS models)



on Legend and V-Trec models)

VIKING

EXCLUSIVE FEATURES



VIKING CAMPING TRAILERS LIMITED WARRANTY

- Lift System Lifetime
- Dexter® E-Z Lube® Axle 5 Years





• VRX Vinyl Tent - 5 Years

• Roll-out System - 5 Years

• Roof Assembly - 5 Years

Dexter* E-Z Lube* Axles

Please refer to www.vikingrv.com for complete warranty information.

- Dexter® Torflex® Axle 10 Years

Check Out Our Easy Set Up Video Here





ULTRA LIGHT CAMPING TRAILERS

Four Laver Insulated Roof Braced for Air Conditioning.

- 1. One Piece Seamless Fiberglass Skin
- 2. Lauan Plywood Underlayment

No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.

- 3. Foam Insulated Roof Structure
- 4. Vinyl Coated Ceiling

Easy to clean and minimizes interior condensation

Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.

Wide Trac Suspension Better safety and stability on the road.

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with E-coat protection

Camping Made Easy

580 West Burr Oak Street • P.O. Box 549 • Centreville, MI 49032 • 269-467-6321 To learn more about Viking RV and our products, visit www.vikingrv.com.

Interactive Mobile Manuals

VIKING RV

Download our Forest River mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Forest River product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or Google Play!

YOUR VIKING CAMPING TRAILER DEALER

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and grey tanks to provide for more

**Estimated average based on standard build optional equipment.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. @2021 Viking Recreational Vehicles, a Division of Forest River, Inc., A Berkshire Hathaway company. All Rights Reserved. 2/21



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE*

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT **SERVICE**

WINCH-OUT MOBILE MECHANIC **TECHNICAL** SUPPORT DEALER LOCATOR SERVICES



***VALID FOR 1 YEAR FROM DATE OF PURCHASE**





Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.





www.ForestRiverBuyLocal.com



